

SU

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS, AND MINING

waye,	
UBMIT IN TRIPLICATE*	
(Other instructions on	
reverse side)	

5. Lease Designation and Serial No.

	ML-27138
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK	6. If Indian, Allottee or Tribe Name
la. Type of Work	-N/A
DRILL XX DEEPEN PLUG BACK	7. Unit Agreement Name
b. Type of Well	Hatch Canyon
Oil Well Single Multiple Zone Zone	8. Farm or Lease Name
2. Name of Operator	State
William C. Kirkwood CC: Wallace Averett	9. Well No.
3. Address of Operator 1682 Wood and Dr	#34-16A
P.O. Box 3439, Casper, Wyoming 82602 Prov 0 84601	19. Field and Pool, or Wildcat
4. Location of Well (Report location clearly and in accordance with any State requirements.*) At surface	Wildcat
752' FSL & 1789' FEL (SW SE) (374-9962)	11. Sec., T., R., M., or Blk. and Survey or Area
At proposed prod, zone	
	Sec. 16 T31S R15E
14. Distance in miles and direction from nearest town or post office*	12. County or Parrish 13. State
Approximately 50 miles East of Hanksville, Utah	Garfield, Utah
location to nearest to thi	of acres assigned s well
property or lease line, ft. (Also to nearest drlg. line, if any) 752	40
18. Distance from proposed location 19. Proposed depth 20. Rotar to nearest well, drilling, completed.	y or cable tools
or applied for, on this lease, ft.	Rotary
21. Elevations (Show whether DF, RT, GR, etc.)	22. Approx. date work will start*
5280' GR	September 15, 1980
PROPOSED CASING AND CEMENTING PROGRAM	
· · · · · · · · · · · · · · · · · · ·	
	Quantity of Cement
) sacks cement Class "G") sacks cement Class "G"
	APPROVED BY THE DIVISA OF OIL, GAS, AND MINING
	DATE: 9-19-80
	W May The
"B" Engineering Program	1:20 J. Munder
NOTE:	
The purpose of drilling this 75' offset well is to determine if a be established between these two wells. This will allow us to de recovery method to produce oil from this large Tar Sand deposit.	
IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on presductive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measurement program, if any. Signed Ratio	red and true vertical depths. Give blowout
(This space for Federal or State office use)	
Permit No. 43-017 - 30098 Approval Date 9/19	/80
Approved by Title	Date



	R. 15 E. G.L.o. 3280	
5284.62		5.280
0		
	GROUND ELEV. = 5058	
	2/80	
	Scale I" = 1000	

Powers Elevation of Denver, Colorado
has in accordance with a request from Wallace Avertt
for Kirkwood Oil & Gas Co.
determined the location of William C. Kirkwood #34-16 STATE
to be 752 F.S.L. & 1789 F.E.L. OF Section 16 Township 315.
Range 15 E. OF THE SALT LAKE Meridian
GARFIELD County, UTAN

Way Location

I hereby certify that this plat is an accurate representation of a correct survey showing the location of WILLIAM C. KIRKWADD #34-14 STATE

Date: 9-4-80

Licensed Land Surveyor No. 4189 State of UTAH

EXHIBIT "B"

ENGINEERING PROGRAM

William C. Kirkwood #34-16 State Sec. 16 T31S R15E 699' FSL & 1842' FEL Garfield County, Utah

The Geologic Surface Formation

The surface formation is the Chinle.

Estimated Tops of Important Geologic Markers

White Rim 380' Organ Rock 760'

Total Depth

8001

3. Estimated Depths of Anticipated Water, Oil, Gas or Minerals

No water zones are anticipated

White Rim

380'

0i1

The Proposed Casing Program

HOLE SIZE	INTERVAL	SECTION LENGTH	SIZE (OD)	WEIGHT, GRADE & JOINT	NEW OR USED
8 1/2"	0-20'	20'	6 5/8"	24#, K-55, 8 Rd.	New
5 5/8"	0-800'	800'	4 1/2"	9.5#, K-55, 8 Rd.	

Cement Program

- A. Surface casing: 10 sacks cement, Class "G", 2% CaCl.
- B. Production casing: 50 sacks cement, Class "G", 2% CaCl.
- 5. The Operator's Minimum Specifications for Pressure Control
 Not Applicable
- 6. The Type and Characteristics of the Proposed Circulating Muds
 Not Applicable Air Drilled.

The Auxiliary Equipment to be Used

Not Applicable

8. The Testing, Logging and Coring Programs to be Followed

- (a) No DST's are anticipated.
- (b) An IES log & a Density log will be run from surface to total depth.
- (c) Coring is anticipated from the top of the White Rim to top of the Organ Rock.
- (d) Stimulation procedures will be determined after evaluation of logs. If treatment is indicated, appropriate notice will be submitted.

9. Any Anticipated Abnormal Pressures or Temperatures

No abnormal pressures or temperatures abve been noted or reported in wells drilled in the area nor at the depths anticipated in this well.

No hydrogen sulfide or other hazardous fluids or gases have been found, reported or known to exist at these depths is the area.

10. Anticipated Starting Date and Duration of the Operations

The anticipated starting date is set for August 20, 1980, or as soon as possible after examination and approval of drilling requirements. Operations should be completed within 4 days after spudding the well and drilling to casing point.

DA'	TE: September 18, 1980
	ERATOR: Wuliam C. Kirkwid
WEI	L NO: Hatch Carryon Unit State #34-16A
Loc	cation: Sec. 16 T. 315 R. 15E County: Marfield
Fil	Le Prepared: Entered on N.I.D: //
Can	d Indexed: Completion Sheet:
	API Number 43-017-30098
CHE	CKED BY:
	Petroleum Engineer: Mg Mincler 9-19-80 approval is granted as exception location for surpasse of pushing an in situ tea sands extention process. Director: Administrative Aide:
APPI	Bond Required: Survey Plat Required:
approve as mother	
tur zex	Lease Designation State Unit Plotted on Map
δ_{ω}	Approval Letter Written Hot Line P.I. P.I.

September 22, 1980

William C. Kirkwood P.O. Box 3439 Casper, Wyoming 82602

> Re: Well No. Hatch Canyon Unit State #34-16A Sec. 16, T. 31S, R. 15E., Garfield County, Utah

Insofar as this office is concerned, approval to drill the above referred to well as an insitu tar sands project is hereby granted.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

MICHAEL T. MINDER - Petroleum Engineer Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-017-30098.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Michael T. Minder Petroleum Engineer

/btm

cc: USGS

Donald Prince Wallace Averett

Form 2-330 (Rev. 5-63)		ם צואט	STA.	TFS	SUB	MIT IN	DUPLIC	A Z	1		Form a	pproved.
	DEPART	MEN_O			TERIO	R	(See stru-		i			Bureau No. 42-R355.5
		EOLOGICA						ide)	1		_	ION AND SERIAL NO.
WELL 60	ADI ETICIAL	OD DECO	ADI ET	1011	DED O DE		D 1 0	~ *		2713		TTES OR TRIBE NAME
WELL CO	MPLETION				REPORT	AN	D LO	<u> </u>	_			
	WELL	X WELL	م ا	RY 🗌	Other				1 .			I NAME
b. TYPE OF COM	WORK DEEP	PLUG BACK	DIF		Other					ch C		
2. NAME OF OPERAT			1.23	'A. C.J	Other				-	Sta		4 · 3
W	illiam C. K	i rkwood							9. W	ELL NO.		
3. ADDRESS OF OPE	O Box 3439,	Cacnon W	romino	82 <i>6</i>	.02					4-16		L, OR WILDCAT
4. LOCATION OF WE	•		-	-		iremen	ta)*		.	ildo		L, OR WILDCAL
At surface 75	2' FSL, 1789	9' FEL							11. S	EC., T.,	В., М.,	OR BLOCK AND SURVEY
At top prod. int	terval reported belo	w same			55	•			, .	R AREA		÷
At total depth	same			500	52		•		Sect	ion	16,	T31S, R15E
			14. PE	RMIT NO.		DATE	ISSUED	······································		OUNTY	OR	13. STATE
			43-0	17-3	0098	1 9-	19-8	0	Gari	abish Tield		Utah
15. DATE SPUDDED	16. DATH T.D. REA	CHED 17. DATE			o prod.) 1	8. ELE	5288		RT, GR,	ETC.) *	19.	ELEV. CASINGHEAD
10/6/80 20. TOTAL DEPTH, MD	1	BACK T.D., ND &		80	TIPLE COMP		1 23. INT		ROTA	RY TOO	LS	CABLE TOOLS
440'				HOW M	ANT*			LLED BY	all		1	
24. PRODUCING INTER	RVAL(S), OF THIS C	OMPLETION—TOP	BOTTOM,	NAME (ID AND TVD) *					2	5. WAS DIRECTIONAL SURVEY MADE
257-407'												no
26. TYPE ELECTRIC	AND OTHER LOGS RU	N								· 1	27. W	AS WELL CORED
	ay-Caliper-		sista	nce								/es
28.		CASI	NG RECO	RD (Rep	ort all etrin	gs set i	n well)					
CASINO SIZE	WEIGHT, LB./F	r. DEPTH SE	r (nd)		1.E SIZE			acks	RECORD			AMOUNT PULLED
6 5/8"	20#	469.8	7	611		_	45 5					
			,			-						
29.		INER RECORD					30.		TUBING			
8128	TOP (MD)	BOTTOM (MD)	SACRS CI	EMENT	SCREEN (MD)	SIZE		DEPTH	SET (M	D)	PACKER SET (MD)
		, , , , , , , , , , , , , , , , , , , 		-				-				
31. PERFORATION REC	CORD (Interval, size	and number)			32.	AC	ID, SHOT	, FRACT	URE, C	EMEN	r squ	EEZE, ETC.
					DEPTH I	NTERVA	г (ир)	. Y?	OUNT A	ND KIN	D OF	MATERIAL USED
:					\		****					y
	·····											
33.* DATE FIRST PRODUCT	ION PRODEC	TION METHOD (F	lamina a		OUCTION	e and t	une of nu	7 D)		WELT.	STATI	s (Producing or
22 201 105001	10.0000	110.1 21211102 (1	iotomy, y	00 (1)1, p	amping—ora	<i>D D</i>	ppe of pur				t-in)	SI
DATE OF TEST	HOURS TESTED	CHOKE SIZE		N. FOR PERIOD	OIL—BBL.		GASM	CF.	WAT	er—BBI	<i>.</i>	GAS-OIL RATIO
FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED	<u> </u>	>			<u> </u>		<u> </u>			
FLOW. TOBING FRESS.	CASING PRESSURE	24-HOUR RATE	oir—	вис,	GAS-	-MCF.		WATER-	BBC.		OIL C	RAVITT-API (CORR.)
34. DISPOSITION OF G	i As (Sold, used for f		1	·	Į		1		TEST	WITNE	B (138	Y
35. LIST OF ATTACH	MENTS											
36. I hereby certify	that the foregoing	and attached in	formation	is comp	lete and cor	rect as	determin	ed from	all ava	liable r	ecords	

William C. Kirkwood #34-16A 752' FSL 1789' FEL Sec 16, T31S, R15E Garfield County, Utah GL Elevation 5288'

spud 7:00 10-6-80 F.D. #0-8-80

253-25 <i>6</i>	Dolomite clean white
257-261	Heavy oil saturation
261-275	Dolomite clean
275-277	Moderate saturation
277-278	Dolomite clean
278-279	Moderate saturation
279-288	Dolomite clean
288-319	Moderate sand stone saturation
319-325	Heavy Saturation
325-349	Moderate to heavy saturation
349-367	Heavy saturation
367-373	Moderate to heavy saturation
373-394	Heavy saturation
394-403	Clean sand stone
403-407	Heavy saturation
407-440	Clean white sand

Form 9-330 (Rev. 5-65)								N DUPLICA	, _	4		m approved. Iget Bureau No	o. 42-R355
•	DEPA.	RTMEN GEOLO					ノス		tions or se side)			NATION AND	SERIAL :
WELL CO				PLETI	ОИ	REPOR	T AN	D LO	3 *			LLOTTEE OR	TRIBE NA
b. TYPE OF COM		WELL X	WELL	Di	RY 🔲	Other	-	······································				IENT NAME	
NEW WELL		DEEP-	PLUG D	DIFF RES	/R. 🗌	Other				Hatc		YON ASE NAME	
2. NAME OF OPERA	ron										State	:	
3. ADDRESS OF OPE	illiam C.	Kirkwo	od							9. WELI			
Р	O Box 343							• :			-16A	POOL, OR WIL	DCAT
4. LOCATION OF WE				ordance	with an	y State rec	uiremen	ta)*			ldcat		
At surface 75	•					,		7		11. SEC	., T., R., :	M., OR BLOCK	AND SURVI
At top prod. in	-	Delow 2	ame			,	1	!		Secti	on 16	, T31S,	R15E
At total depth	same		ī	14. PER	MIT NO.		DATE	ISSUED		12. cou	4	13. s:	
			İ			0098	-	133020		Garfi	SH	Uta	
15. DATE SPUDDED 10/6/80	10/8/		17. DATE C	OMPL. (Ready t	o prod.)		VATIONS (D 52881	GL			9. ELEV. CASI	
20. TOTAL DEPTH, MD 440 !	& TVD 21.	PLUO, BACK T.D	, MD & TVI	22.	HOW M	TIPLE COM	PL.,	23. INTE	RVALS LED BY	ROTARY	TOOLS	CABLE	TOOLS
24. PRODUCING INTE	RVAL(S), OF TE	IS COMPLETION	ON-TOP, B	OTTOM,	NAME ()	ID AND TV	o)+	<u> </u>	<u>≯</u>	1		25. WAS DI	ECTIONAL
257-407 1 26. TYPE ELECTRIC A								* !			27	NO . WAS WELL	
	ay-Calipe	r-Densi				·····				· ·		yes	
23.	WEIGHT, I	B./FT. DE	CASING			ort all stri LE SIZE	nga set i		ENTING	RECORD		1 4701174	PULLED
6 5/8"	20#		20'			7/8''		. 5 sa	cks		: "	-	- 102020
4 1/2"	9.5#		469.81		6''			45 sa	cks				
29. 8129	TOP (MD)	BOTTOM		CKS CE	VEVE		(3/5)	30.		TUBING I			
8129	TOP (SLD)	8011034	(MD)	CKS CE	MENT	BCREEN	(710)	8128		DEPTH SE	(MD)	PACKER	SET (MÞ)
31. PERFORATION REC	CORD (Interval,	size and nur	mber)	· · · · · · · · · · · · · · · · · · ·	<u></u>	82.	AC	ID. SHOT.	FRAC	TURE CEN	IENT S	QUEEZE, ET	<u></u>
							NTERVA				····	F MATERIAL	
										· · · · · · · · · · · · · · · · · · ·			
							-	· ·					
	······································												
33. PATE FIRST PRODUCT	ION PR	DUCTION MET	THOD (Fla	oina aa		OUCTION	va and 4						,
			• • • • • • • • • • • • • • • • • • • •					ype oj pum	P) 		ell sta shut-in	TCS (Product)	ing or
DATE OF TEST	HOURS TEST	снок:	E SIZE	PROD'N. TEST P	ERIOD	OIL—BBL	•	GAS—NC	r.	WATER-	-BHL.	GAR-OIL R.	OlTA
FLOW, TUBING PRESS.	CASING PRES		LATED UR RATE	OIL—B	BL.	GAS	—ист.	<u> </u>	WATER-	-BBL.	011	GRAVITY-API	(CORR.)
34. DISPOSITION OF G	AS (Sold, used	or fuel, vente	ed, etc.)					<u></u>		TEST WI	CAESAED	RT	
35. LIST OF ATTACH	MENTS				<u> </u>			<u></u>		<u> </u>	·	· · · · · · · · · · · · · · · · · · ·	
	that the force	oing and atts	ched infor	mation	is comp	ete and co	rreet	determina) from	all amatte		·da	
	In Of	<i>t</i>				Dot	. 0	etermine.	e FrAM	•	•	/A - 7 9	2-01
SIGNED	1200		w x 7.	TIT	LB	(27.1).	40	· v/v.		D	ATE	10,00	



		R	. 15 E. Gl.o. 5280				
			5280				
	Transition of the state of the						
N							
284.0			-/6 				7. 37. S
' 0							
		GROUND ELEV. = 503	8				
				753	1789 F.E.	<u>4</u> :	
		#18 (d. 11) # 14 x	5280 G.L.o. ale!"				

Powers Elevation of Denver, Colorado
has in accordance with a request from Wallace Averett
for Kirkwood Oil & Gas Co.
determined the location of William C. Kirkwood #34-16 State
to be 752 FS.L. & 1789 F.E.L. OF Section 16 Township 315.
Range 15 E. OF THE SALT LAKE Meridian

GARFIELD County, LITAN

- FOUND COBNER


WALL LOCATION

I hereby certify that this plat is an accurate representation of a correct survey showing the location of WILLIAM C. KIRKWODD #34-14 STATE


Date: 9-4-80

Licensed Land Surveyor No. 4189 State of UTAH

SE/ Sec. 16, T31S, R15E Garfield County, Utah



Plat Showing Location Of Wells; 34-16, 34-16A, 43-017-30098 34-16B, 34-16C, And 34-16D In The SWSE/4 Of Section 16, Township 31 South, Range 15 East, Garfield Co., Utah.



SCOTT M. MATHESON Governor

GORDON E. HARMSTON

Executive Director,

NATURAL RESOURCES

CLEON B. FEIGHT

Director



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 (801) 533-5771

May 21,1981

OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON

Chairman

JOHN L. BELL
C. RAY JUVELIN
THADIS W. BOX
MAXILIAN A. FARBMAN
EDWARD T. BECK
E, STEELE McINTYRE

William C. Kirkwood P.O. Box Drawer 3439 Casper, Wyoming 82601

Re: SEE ATTACHED SHEET ON WELL DUE

Gentlemen:

In reference to above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not recieved any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. (If we do not hear from your company within fifteen (15) days, we will assume you do not intend to drill these wells and action will be taken to terminate the application.) If you plan on drilling these location at a later date, please notify as such.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

SANDY BATES CLERK-TYPIST

ATTACHED SHETT ON WELLS DUE

1. Well No. White Rim #44-4 Sec. 4, T. 31S. R. 15E. Garfield County, Utah 10. Well No. State #31-16 Sec. 16, T.32S. R.15E. Garfield County, Utah

2. Well No. Magnum #23-8 Sec. 8. T.31S. R.15E. Garfield County, Utah 11. Well No. State #34-16 Sec. 16, T.31S. R.15E. Garfield County, Utah

- 3. Well No. Remington #14-15 Sec. 15, T.31S. R.15E. Garfield County, Utah
- 4. Well No. Winfield #21-15 Sec. 15, T.31S. R.15E. Garfield County, Utah
- 5. Well No. Garfield #44-15 Sec. 15,T.31S. R.15E. Garfield County, Utah
- 6. Well No.Hatch Canyon Unit #34-16A Sec. 16, T.31S. R.15E. Garfield County, Utah
- 7. Well No. Monroe #22-20 Sec. 20, T.31S. R.15E. Garfield County, Utah
- 8. Well No.Eastex #41-20 Sec. 20, T.31S. R.15E. Garfield County, Utah
- 9. Well No.State #11-2 Sec. 2, T.32S. R.15E. Garfield County, Utah

July 31, 1981

William C. Kirkwood P. O. Box 3439 Casper, Wyoming 82602

> Re: Well No. Hatch Canyon State 34-16A Sec. 16, T. 31S, R. 15E Garfield County, Utah

Gentlemen:

According to our records, a "Well Completion Report" filed with this office 10-28-80, from above referred to well indicates the following elevtric logs were run: Gamma Ray-Caliper-Density-Resistance. As of todays date this office has not received these logs.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

Sandy Bates

Clerk-Typist

/1m

WILLIAM C. KIRKWOOD

Suite 300 Market Square Building — 307/265-5178

P. O. Drawer 3439 — Casper, Wyoming 82

L & Gas Exploration & Production

January 29,1982

State of Utah Division of Oil, Gas and Mining 1588 West North Temple Salt Lake City, UT 84116

RE: Filing Additions to USGS Form 9-330 or OGCC-3

William C. Kirkwood #34-16A State 752' FSL 1789' FEL Sec. 16, T31S, R15E Garfield County, Utah

Gentlemen:

Enclosed is a copy of the logs (where run), sample and core descriptions, geologic summaries and other data obtained during drilling and completion operations to date.

Our delay in the further completion of this well, is due to testing presently being done to determine the best method of completion to be used to produce oil from this reservoir. Testing is being done by the University of Utah Fuels Engineering Department on core samples and oil from this reservoir. Additional wells have been cored to obtain samples for analysis of reservoir characteristics and to further delineate oil reserves in the Hatch Canyon Unit. In addition several wells of a pilot test pattern have been drilled.

If you require further information or have any questions please contact me.

Robert Montgomery

RM:bal

Enclosures

SUBMIT ____TRIPLICATE* (Other instructions on reverse side)

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES**

DIVISIO	5. LEASE DESIGNATION AND SERIAL NO.			
SUNDRY NOTICE (Do not use this form for proposal Use "APPLICAT	CES AND REPORTS (lis to drill or to deepen or plug it FION FOR PERMIT—" for such p	ON WELLS pack to a different reservoir. roposals.)	6. IF INDIAN, ALLOTTER	OR TRIBE NAME
			7. UNIT AGREEMENT NA	MB
OIL WELL OTHER	,		S. FARM OR LEASE MAM	18
W. C. Kirkwood Oil a	and Gas		(, , , , , , , , , , , , , , , , , , , 	_
, ADDRESS OF OFSEATOR	and das		9. WELL NO.	***************************************
P. O. Drawer 3439	Casper, WY 82602			
LOCATION OF WELL (Report location ele See also space 17 below.) At surface	arly and in accordance with any	State requirements.	10. FIELD AND POOL, OF	i WILDCAT
Wells located in Tov Ranges 14 & 15 East		outh	11. SEC., T., R., M., OR S SURVEY OR AREA	LK. AND
4. PERMIT NO.	15. BLEVATIONS (Show whether DE	, RT, GR, etc.)	12. COUNTY OR PARISH	18. STATE
6. Check App	propriate Box To Indicate N	Nature of Notice, Report, or (Other Data	
NOTICE OF INTENT	10N TO:	AUBERG	QUENT REPORT OF:	
TEST WATER SHUT-OFF	ULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING W	/BLL
PRACTURE TREAT	ULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CA	
	BANDON*	(Other) Well Statu	ABANDONMEN	'T'
REPAIR WELL C1 (Other)	HANGE PLANS	(Norn: Report result	s of multiple completion opletion Report and Log for	on Well
Federal Oil and Gas Special Tar Sand Arc suspended pending co Hydrocarbon Leases. conversion has take	Unit. This unit is ea. All operations onversion of the feather thus all operation place. At that t	st are located within s located within the within the Hatch Carderal leases within the son these wells having these wells	Tar Sand Triang nyon Unit have b the unit to Comb we been suspenden ndry Notice will	gle been bined ed until
			. (. 6 1924	
		. • • • • · · · · · · · · · · · · · · ·	OMISION OF , GAS & MARRY	0.
18. I hereby portity that the foresting on SIGNEY CLUT / Aug	true and correct	eologist	DATE Marc	h 22, 1984
(This space for Federal or State office	re use)		DA	

DATE __

TITLE .

William C. Kirkwood #14-36 Technology 2076' FWL 746' FSL Sec 36 Twp 31S R 14E Garfield County, Utah G.L. 4823' Spudded 6/23/80 4621 T.D. 6/25/80 7/1/80 Deepened 1000' T.D. 7/12/80 William C. Kirkwood #33-29 Cromwell 2023' FEL 741' FSL Sec 29 Twp 31S R 15E Garfield County, Utah G.L. 5120 Spudded 7/5/80 700' T.D. 7/8/80 William C. Kirkwood #23-8 Magnum 1934' FEL 1667' FSL Sec 8 Twp 31S R 15E Garfield County, Utah G.L. 5084 7/17/80 Spudded 7/22/80 1100' T.D. William C. Kirkwood #22-20 Monroe 2962' FEL 1790' FNL Sec 20 Twp 31S R 15E Garfield County, Utah G.L. 4988 Spudded 7/9/80 800' 7/15/80 T.D. William C. Kirkwood #14-15 Remington 554' FWL 697' FSL Sec 15 Twp 31S R 15E

Garfield County, Utah

8/1/80

8/3/80

1540'

G. L. 5307'

Spudded

T.D.

William C. Kirkwood #14-15 Garfield 4497' FWL 599' FSL Sec 15 Twp 31S R 15E Garfield County, Utah G.L. 5321' 8/4/80 Spudded T.D. 8/6/80 1000' William C. Kirkwood #21-15 Winfield 2222' FWL 481' FNL Sec 15 Twp 31S R 15E Garfield County, Utah G.L. 6127' Spudded 8/12/80 1800' T.D. 8/14/80 William C. Kirkwood #44-4 White Rim 401' FEL 1498' FSL Sec 4 Twp 31S R 15E Garfield County, Utah G.L. 6005' Spudded 8/14/80 T.D. 8/16/80 1640' William C. Kirkwood #34-16 State 699' FSL 1842' FEL Sec 16 Twp 31S R 15E Garfield County, Utah G.L. 5058' Spudded 8/22/80 8/24/80 620' T.D. William C. Kirkwood #34-16 Hatch Canyon Unit SWSE 16-31S-15E 699' FSL 1842' FEL Spudded 8/22/80 T.D. 620'

G.L. 5058'

William C. Kirkwood 34-16A Hatch Canyon Unit SWSE 16-31S-15E 752 FSL 1789 FEL

Spudded

10/6/80

T.D.

440'

G.L. 5058'

William C. Kirkwood 34-16B Hatch Canyon Unit SWSE 16-31S-15E 805' FSL 1736' FEL

Spudded

6/21/81

T.D.

800'

G.L. 5058'

William C. Kirkwood 34-16C Hatch Canyon Unit SWSE 16-31S-15E 699' FSL 1736' FEL

Spudded

12/19/81

T.D.

500'

G.L. 5058'

William C. Kirkwood 34-16C Hatch Canyon Unit SWSE 16-31S-15E 805' FSL 1842' FEL

805' FSL 1842' FEL

Spudded

6/12/82

T.D. G.L. 5058'

510'

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING	5. LEASE DESIGNATION AND SERIAL NO. MI. 27138 6. IF INDIAN, ALLOTTES OR TRIBE NAME N/A				
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)					
1. OIL GAS C	7. UNIT AGREEMBNT NAMB				
WELL WELL OTHER 2. NAME OF OPERATOR	Hatch Canyon				
	8. FARM OR LEASE NAME				
William C. Kirkwood 8. Address of Operator	State 9. WELL NO.				
	34-16A				
P.O. Box 3439, Casper, WY 82602 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*	10. FIELD AND POOL, OR WILDCAT				
See also space 17 below.) At surface	Wildcat				
752' FSL, 1789' FEL	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA				
14. PERMIT NO. 15. BLEVATIONS (Show whether Dr. RT. GR. etc.)	Sec. 16, T31S, R15E				
	12. COUNTY OR PARISH 18. STATS				
43-017-30098 5288' GL	Garfield UT				
Check Appropriate Box To Indicate Nature of Notice, Report, or O	ther Data				
	are appear of:				
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF	REPAIRING WELL				
FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING	ALTERING CASING				
SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING REPAIR WELL CHANGE PLANS (Other)	ABANDONMENT*				
(Note: Report results of	of multiple completion on Well tion Report and Log form.)				
nent to this work.) *					
This well is located in the Hatch Canyon Unit. All operat					
have been suspended pending the conversion of Federal Oil					
within this Unit to Combined Hydrocarbon leases. Once the					
converted a new Combined Hydrocarbon Unit will be formed a	nd operations				
resumed. Until that time this well has been shut in and t	emporarily abandoned.				
	JAN 17 1985				
Oil	LIVISION OF L. GAS & MINING				
8. I hereby secrify that the foregoing of trustand correct SIGNED TITLE Geologist	DATE 1-4-85				

Certified #492-469-129

DATE _







355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 84180-1203. (801-538-5340)

Page ____ of ____



Authorized signature

		MONT	HLY OIL	_ AN	ID GAS	S PRODUC	CTION REPORT	
	Operator name	and address	:				* Combined	Hydrocarbon Banckrupcy
•					YN WHIT		Utah Account No. — Report Period (Mont Amended Report	N3260
Well Name	5-44	1 41	Producing		Productio	n Volume		I
API Numbe REMINGTON	er Entity I 14−15 (_{0×4}	Location 7-30-80	SWSW	Oper	Oil (BBL)		Gas (MSCF)	Water (BBL)
30173008	36 09645 31S	15E 15	WHRM 🐔		-50W	U-21037		
30173008	بہرے 15–13 17 -09645 –318	15E 15	NENW >	11015	- Sow	U-21037	- \	
30173008	ربيون 20 <mark>-20</mark> 315 09645	<i>9-30-80</i> 15E 20	SENW	11016	- ಽಂಬ	4-21477	7-29-89 per 7	heresa / Bfm
	9 09645 318		NESW	11017	-ടംധ	U-21478	Ores has a boo	d. they san
	0 09645 31′S		SWSE WHRM #	11018	-sow	U-21476	us to PA 4	Fred Leave
ুর 173009	1 44-4 <i>(lony</i> 11 09645 31S	.15E 4	SESE WHRM	11019	- Sow	U-21083	wells. Will p	abibly never
30173009	44-15 _(****) 12 09645 318	15E 15	SESE	11020	LS0(1)	4-21037	produce:	0
	16 09645 318	. 9-30-50 15E 16	SWSE WHRM	11021	- Scw	mL-27138		
	18 09645 315		SWSE WHRM	11022	-ಽ೧ル	mL-27/38	St. Leas	-5
30173010	IYON U 34-16 07 09645 318		SWSE ;	11023	- ടംഗ	mL-27/38		
ECHNOLOG 30173008	14-36 15 10929 31S	14E 36	WHRM		- కెంట	(not in Uni	† 7	
				0741				
				OTAL	alile	- 4 1	2.11	
omments (a	ttach separate s	heet if neces	ssary) <u>En</u>	4.1-4	1645	OF. No	P.A.s.n Unit	
	9.25-39	All wells	current	ly So	2W" 5+	atus's f	cf_	
3-c17-3cc		well that						
have review	ed this report ar	nd certify the	information	to be	accurate ar	nd complete.	Date	

Telephone -

ENTITY ACTION FORM - FORM 6

OPERATOR _ WILLIAM C. KIRKWOOD ADDRESS P. O. BOX 3439 82602 CASPER, WYOMING

OPERATOR ACCT. NO. N 3260

ACTION	CURRENT	NEW	API NUMBER	WELL NAME			WELL	LOCATIO	N .	SPUD	EFFECTIVE
CODE	ENTITY NO.	ENTITY NO.			QQ	SC	TP	RG	COUNTY	DATE	DATE
D	9645	11020	43-017-30092	GARFIELD 44-15	SESE	15	31S	15E	GARFIELD		9-18-89
WELL 1 C	OMMENTS:	rah ** Vah	CCH CANYON UNI	T TERMINATED EFFECTIVE 9-18-89 ENTITY NUMBERS. ONLY WELL WITH	9. ALL H ORIG	WELLS	WITH	IN UNI 3-017-	T BOUNDRY AI 30086, REMII	RE SOW AND NGTON 14-1.	NOW
D	9645	11021	43-017-30096	STATE 34-16	SWSE	16	31S	15E	GARFIELD		9-18-89
HELL 2 C	OMMENTS:									,	
D	9645	11022	43-017-30098	STATE 34-16A	SWSE	16	318	15E	GARFIELD		9-18-89
WELL 3 C	OMMENTS:										
D	9645	11023	43-017-30107	HATCH CYN U 34-16B	SWSE	16	31S	15E	GARFIELD		9-18-89
HELL 4 CO	OMMENTS:				<u> </u>						
ELL 5 CC			on back of form								

ACTION CODES (See instructions on back of form)

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)
C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

LISHA ROMERO

Signature

ADMIN. ANALYST

Title

Phone No. (801) 538-5340

Bureat of Land Management Branch of Fluid Minerals (U-922) 324 South State Street Salt Lake City, Utah 84111-2303

31(0 (11-922)

September 20, 1960

CERTIFIED VAIL-- Leturn Agrespt Reguested

William C. Kirkwood P.D. Drawer 3439 Casper, Sycolog 82502

Centlemen:

Pursuent is our latter of August 8, 1989, the indefinite suspension of Section 9 drilling onligations within the Meteo Conyon but Area was lifted September 11, 1989. A copy of our August 8, 1989, correspondence and the Certified Return Tocolog is eachgree for your records.

As a result of the indefinite suspension being iffied, the Match Canyon Unit Acresment, Carffeld County, Wall, automatically terminated, effective September 16, 1985, pursuant to the last paragraph of Section 3 of the Unit Agreement.

Copies of this letter are being distributed to the appropriate Pederal egencies. It is requested that you furnish indice of this termination to each working interest euror, lesses, and lesson.

in eccordance with 63 CFR 3165.3. You may request a State Director Peview of this accision. Any party ecvercity affected by a State Director Review may appeals to the Interior board of Land Appeals as stated in 43 CFR 3165.4.

Sincerely,

Orig. Sgd: J.A. Fouts

ACTING

Chief. Breach of Fluid Minerals

bcc: DM Cedar City

Hatch Canyon Unit File

Agr. Sec. Chroni

Fluid Chron

U-942

Utah State Land Doard

MMS-RMP

MCoulthordelws/19/08 0128V

WILLIAM C. KIRKWOOD

120 South Durbin — 307/265-5178

P. O. Drawer 3439 — Casper, Wyoming 8260

2 & Gas Exploration & Production

June 3, 1991

Bureau of Land Management Richfield District Office 150 East 900 North Richfield, UT 84701 AUG 2 6 1991

DIVISION OF OIL GAS & MINING

SN

JUN 5 1991

Attention: Michael Jackson

Re: Hatch Canyon Unit

Well # 14-15, 21-15, 44-15

Sec. 15, T31S, R15E Garfield County, UT

Gentlemen:

Enclosed please find Sundry Notices for plugging three wells in the Hatch Canyon Unit located in Section 15.

With regard to your concern of the four shallowed unplugged holes associated with the #14-15 well: Kirkwood has no record of any such wells, however, we do have a five spot pattern located in Section 16 (copies of location plot and completion reports enclosed). This pattern could possibly be what they are talking about.

If I can be of further assistance, please advise.

Sincerely,

Robert Kirkwood

Engineer

RK/mm

Enclosures

RECEIVED

AUG 2 6 1991

DIVISION OF OIL, GAS & MINING

	7 4	Dat	,	
ROUTING AND T	ransmittal slif	8	23/9	71
0: (Name, office symbol, re building, Agency/Post)			Initials	Date
. Frank M	allhuis			
-				
D06/			_	
STATE OF U	TAN , Divisi	no Oil	BAL S	MININE
. 3Tried Co	enter Si	e 3:	52	
. 5LC, 2	4180-120	3		
Action	X File		ote-and Re	
Approval	For Clearance		511Y	
As Requested	For Correction		repare reep	
Circulate		Rion S	ee Me	
Comment	Investigate	AUG	28'4991	
Coordination	Justify	A PP NOV	1 11 1	302
Enclosed C	re the	ofe/GAS	MINI	NG
PEA A 3 W				<i>6.</i>
PEAGOW				
			Ĺ	
Ola, mal	osed are	ren	nts/	related
	- Can	1/2	12 1	ア分
to wells	en Sec.	- W	uen	20
talkel to	you als	ut.		
Giu pul a l	rall if of	ulst	ions.	
DO NOT use this form a	as a RECORD of ap	provals, co	ncurrences,	disposals,
FROM: (Name, org. symbol	ol, Agency/Post)		Room No.	-Bidg.
	0		1941	-1- KILLE
michael y	chon		Phone No.	6-8221
5041-102	O P	PTIONAL FOR PMR (41 CFR)	ORM 41 (F SA 101-11.206	lev. 7–76)

* U.S. GPO: 1988 - 241-174

DIVISION OF OIL, GAS AND MINING

	[5. Lease Designation and Serial Number:
SUNDRY NOTICES AND REPO	DETS ON WELLS	ML-27138 6. M Indian, Allottee or Tribe Name:
The state of the s	THIS OR WELLS	
Do not use this form for proposals to drill new wells, deepen existing wells. Use APPLICATION FOR PERMIT TO DRILL OR DEEPE	, or to reenter plugged and abandoned wells. N form for such proposals.	7. Unit Agreement Name: HATCH CANYON UNIT
1. Type of Well: OIL 🔀 GAS 🗍 OTHER:		8. Well Name and Number: State 34-16A
2. Name of Operator: WILLIAM C. KIRKWOOD		9. API Well Number: 4301730098
3. Address and Telephone Number: P. O. BOX 3439 CASPER, WY 82602-	3439	10. Field and Pool, or Wildcat:
4. Location of Well Footages: 752' FSL, 1789' FEL		County: Garfield
ος, Sec., T., R., M.: Sec., 16, T31S, R15E		State: Utah
11. CHECK APPROPRIATE BOXES TO INDIC	ATE NATURE OF NOTICE, REPORT	OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUE	NT REPORT
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Shoot or Acidize Fracture Treat Vent or Flare Water Shut-Off Other Water Shut-Off Other Water Shut-Off Approximate date work will start Water Shut-Off Approximate date work will start ANNUAL STATUS REPORT The above referenced well was a well in a heavy oil project. A found, low oil prices suspended put in a temporarily abandoned	Villed and completed as an ex Uthough substantail oil rese Nurther development and this	completions to different reservoirs on WELL form. report. subsurface locations and measured and true
₹ 5		
13.	7	
Name & Signature: Marker Mickey	/ 	Date: 12/18/92
This space for State use only)		


(12\92)

FORM STATE OF UTAH	•	
DIVIS OF OIL, GAS AND MINIT	vg	5. Leave Designation and Serial Number: ML 27138
SUNDRY NOTICES AND REPORTS	ON WELLS	6, Y terken, Allottee or Tritus Northy
Do not use this form har physposists to drift paper usels, disopost assisting wells, or to recent Uses APPLICATION FOR PERMIT TO DRILL OR DESPEN form for so	r plugged and abandoned wells, ch proposels.	7. Unit Agreement Heme: Hatch Canyon Unit
1. Type of West: OIL T GAS OTHER:		4. Wall Name and Number. 34-16A
2. Names of Opensia. William C. Kirkwood		8. AFT Well Number: 43-017-30098
2. Additions and Telephone Number: P. O. Box 3439, Casper, WY 82602	<u>.</u>	TO Field and Pool or Wildcat Wildcat
A Location of West 752 'FSL, 1789 'FEL Postages: CO. Sec. T.A.M.: Sec. 16, T31S, R15E		county: Garfield
11. CHECK APPROPRIATE BOXES TO INDICATE N		
NOTICE OF INTENT (Submit in Ouplicate)		RUENT REPORT Original Farm Cody)
Abandon	Abandon Repair Casing Change of Plans Convert to Injection Fracture Treat or Acidize Other Dete of work completion Report results of Municiple Completion REPO Must be accompanied by a conset welffer	
No. Describe Proceeds on completed Operations (Omeny state all partitions details, and operated depths for all markets and states perfected to this work) Kirkwood plans to P & A the above refer cement from the surface, installing a constract.	crenced well by fill	ing the casing with

Det: 8/28/97

(494

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING



FORM 8

STATE OF UTAH ON OF OIL, GAS AND MINING

	division of Oil, Gas and M		5. Lease Designation and Serial Hambur: ML 27138		
SUNDRY	NOTICES AND REPORT	TS ON WELLS	O, Y Inches, Alterbay or Telho Maring		
Do not was this finis for piops (Jack APPL)	panin to drill pipe weits, despon calciting wells, o' to CATION FOR POWET TO ORLL OR DEEPEN for	o rewriter plugged and abundanted wells, in its such proposeds.	7. Unit Agreement Name: Hatch Canvon Unit		
1. Type of Well: OIL T GAS] OTHER:		4. Wall Name and Number. 34–16A		
2. Name of Operator. William C. Kirkw	ood		2. API West Number: 43-017-30098		
P. O. Box 3439, (Casper, WY 82602		to Field and Pool or Wildcat Wildcat		
* Location of Well Fostages: 752 FSL, 1			comp. Garfield		
co. sec. T.R.M. Sec. 16,			s=: Utah		
11. CHECK APPRO	PRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA		
	CE OF INTENT mit in Dupflorte)		QUENT REPORT Original Form Only)		
☐ Abandon ☐ Repair Casing ☐ Change of Plans ☐ Convert to Injection ☐ Fracture Treat or Acidize ☐ Multiple Completion ☐ Other ☐ Approximate date work will start z. pescribe recrease on coversity varical deplies for all positions and arress	O OPERATIONS (Clearly state all pertinent details, a perfinent to this work.)	* Must be accompanied by a commit well and give perinent dates. If well it directionally diffe	and Heconsplictions to different reservoirs on WELL OFF AND LCG feets. Izalizas raport.		
		erenced well was plugge s ready for final insp	ed in accordance with pection.		

(See Instructions on Physicis Side

DIV. OF OIL, GAS & MINING

(494)